

## END WROUGHT IRON MACHINES

# PC16



**50** years  
manufacturing industrial machinery



## HOW IT WORKS VIDEO

Video on how the machine works.

## GET A QUOTE

Please complete the following form. We'll contact you in less than 24 hours.  
*Business days.*


## SOME OF OUR CUSTOMERS

Our customer's endorsement is our best business card



## CERTIFICATES AND ACCREDITATIONS

Some of the certificates that support our processes and benefit our customers



# END HOT WROUGHT IRON MACHINE

The End Hot Wrought Machine Narges PC16, eases up the rolling job of hot steel. It rolls up the snail forged shaped end. This decorations are commonly used as extremes in scrolls and decorative parts: gates, windows, fencing, metal furniture...



## Easy handling

Any worker is able to carry out this job, even without any previous preparation.



## Readiness

Thousands of parts can be made in a sole working day.



## Value and prestige


There are few craftsmen who can make this kind of wrought jobs.




## Sales

Possibility of selling parts with the forged extremes to different companies or steel stores.

# TECHNICAL FEATURES



- > Maximum capacity in round: 20 mm.
- > Maximum capacity in square: 20 mm.
- > Maximum capacity in flat bar: 50x10 mm.
- > Adjustment of displacement or turns.
- > Adjustment of pressure according to material thickness.
- > Safety double command for the cycle drive.




- > Hydraulic clamp for the piece fastening.
- > Working speed: 45 mm/s.
- > Return speed: 70 mm/s.
- > Cycle time: 10 seconds.
- > Pieces per minute: 4 pieces.



- > Engine power: 2,2 KW/ 3 CV (HP).
- > Three phased tension: 230/400 V.
- > For other tension or single phased machines, please ask the manufacturer.
- > Machine Dimensions: 640x1300x1110 mm.
- > Weight: 336 Kg.

*\* All our products are manufactured in our facilities in Spain. The hydraulic and electrical components are all standard from the best leading European trademarks, with technical assistance all over the world: Rexroth, Bosch, Roquet, Schneider Electric, LG, Telemecanique, Pizzato etc...*

## OUTSIDE DIMENSIONS



## PACKAGING CHARACTERISTICS

- Tariff Code: 84622990
- Palletized bench to move it easily to its working site or storage.
- The machine is sent completely assembled.
- Packaging with wooden pallet NIMF15 and 3-layered cardboard box suitable for sea freight.
- Optional: Complete wooden packaging NIMF15.

### PC16

Width	1350 mm
Depth	680 mm
Height	1280 mm
Volume	0,93 m <sup>3</sup>
Net Weight	336 Kg
Gross Weight	355 Kg

# OUR RANGE OF MACHINERY



IRON WORKERS



SECTION BENDING  
MACHINES



NON-MANDREL PIPE  
BENDER



HORIZONTAL PRESS  
BRAKES



TWISTING/SCROLL  
BENDING MACHINES



HYDRAULIC PRESS  
BRAKES



HYDRAULIC SHEAR  
MACHINES



GAS FORGES



IRON EMBOSSING  
MACHINES



END WROUGHT IRON  
MACHINES



BROACHING MACHINES



POWER HAMMERS



PRESSES FOR LOCKS

## WARRANTY

Nargesa machines have 3 years warranty provided that the customer registers it in our website. Otherwise it would be only one year warranty. This one encloses any manufacturing default all along these 3 years for components. Any misuse is excluded from this condition. Labor, back and forth shipping and any eventual repair, are not included in this warranty.

Partner companies



Airpharm

## SHIPMENT EVERYWHERE

Nargesa will arrange transport up to final destination, whenever the customers asks for so. There is also the possibility for the customer to arrange the shipment himself with his own agency.

## TECHNICAL ASSISTANCE

All our customers have access to technical support quickly and efficiently.

90% of incidences are solved out on the phone, mail, Skype or videoconferencing in less than 24hours. In case of needing presencial technical assistance, we may as well send a technician to the customer's facilities.

Follow us on

**PRADA NARGESA, S.L.**

Ctra. De Garrigàs a Sant Miquel s/n

17476 Palau de Santa Eulalia (Girona) Spain

Tel. +34 972 568 085

[www.nargesa.com](http://www.nargesa.com)

[nargesa@nargesa.com](mailto:nargesa@nargesa.com)



This information might undergo changes